

1.						06							1871	3
	200	2:08.09	638	50	26.90	619	100	59.11	614	100	1:08.76	555		
	50	31.65	507	50	35.81	497	50	31.56	460					
2.						99							1837	3
	200	2:07.02	654	100	59.44	604	50	27.50	579					
										-1				
3.						03							1798	3
	200	2:09.12	623	200	2:25.07	592	100	1:00.13	583	400	5:12.84	567		
	100	1:08.35	565	50	29.55	561	50	27.90	555	50	32.22	481		
	50	36.56	467											
4.						01							1784	3
	200	2:09.13	623	50	27.45	582	100	1:00.27	579	50	30.23	524		
	200	2:50.01	495											
5.						02							1652	3
	200	2:43.89	553	50	34.58	552	100	1:16.23	547					
										-1				
6.						10							1591	3
	100	1:16.50	541	50	35.06	529	200	2:47.14	521	50	29.45	472		
	800	10:25.68	444	200	2:40.49	437	100	1:06.65	428	50	34.60	349		
7.						08							1537	3
	100	1:02.71	514	400	4:48.71	514	200	2:18.14	509	50	29.49	470		
	800	10:28.58	438											
8.						10							1525	3
	100	1:02.66	515	50	28.61	514	200	2:19.29	496	50	33.77	376		
	50	36.20	339	100	-	-								
9.						07							1517	3
	50	27.92	553	200	2:51.32	484	100	1:12.15	480	50	36.22	480		
	100	1:20.50	464	50	32.42	425								
						06							1517	3
	50	28.66	512	100	1:10.75	509	50	30.78	496	100	1:09.62	490		
	400	4:54.64	483	50	32.48	469	50	37.40	436					
11.						07							1506	3
	200	2:18.18	508	100	1:03.15	503	800	10:03.13	495	400	4:55.98	477		
	1500	19:33.78	463	50	29.80	455	100	1:14.58	435					
12.						02							1492	3
	200	2:17.24	519	50	35.90	493	200	2:35.61	480	50	34.01	409		
13.						07							1463	3
	50	28.31	531	50	31.12	480	100	1:13.59	452	50	35.76	352		
14.						09							1441	3
	50	30.45	513	100	1:12.87	466	50	32.64	462	50	41.19	326		
15.						09							1416	3
	400	4:54.19	486	800	10:11.19	476	200	2:23.49	454	100	1:05.78	445		
	1500	20:10.96	421	100	1:16.21	407	50	31.11	400	50	36.71	292		

(25)

, 17 - 20

2024

16.						06				-3		1414	3
	50	29.16	486	50	32.58	465	100	1:13.03	463	100	1:11.17	458	
	50	31.83	449	200		-							
17.						09						1411	3
	400	5:30.81	479	100	1:12.83	467	200	2:37.24	465	100	1:11.96	443	
	200	2:37.68	429	50	34.47	393	50	31.40	389	50	34.28	359	
18.						09				-3		1402	3
	400	4:57.43	470	800	10:14.98	467	100	1:04.82	465	200	2:22.69	462	
	50	29.78	456	1500	19:44.83	450	100	1:18.25	376				
19.						07				-1		1376	3
	200	2:22.01	468	50	29.68	461	100	1:05.71	447	400	5:57.22	380	
	50	33.77	376	100	1:20.60	344	100	1:17.36	341				
20.						09						1365	3
	100	1:12.46	474	100	1:10.84	465	100	1:11.82	426	50	33.77	418	
21.						07						1339	3
	50	31.55	461	400	5:40.28	440	100	1:11.14	438	50	30.26	435	
	200	2:26.27	428	50	38.97	385	200	2:47.53	363				
22.						06						1285	3
	400	5:05.47	434	50	30.36	430	200	2:27.07	421	100	1:07.58	411	
23.						07				-1		1275	3
	100	1:11.43	453	50	33.90	413	200	2:40.13	409	50	31.21	396	
24.						09						1263	3
	50	29.80	455	100	1:07.69	409	200	2:29.83	399	50	33.44	387	
	100	1:18.54	372	50	35.59	357	200	2:53.86	344	50	42.65	294	
25.						09				-3		1220	3
	800	10:42.35	410	1500	20:27.37	405	400	5:12.49	405	100	1:07.98	403	
	100	1:18.90	367	100	1:18.58	340							
						09						1220	3
	200	2:26.24	429	100	1:16.71	399	50	34.49	392	50	31.60	382	
	50	33.88	372										
27.						03						1168	3
	50	31.35	391	100	1:08.83	389	100	1:17.46	388				
28.						08				-1		1143	3
	50	31.14	399	100	1:09.23	382	200	2:34.70	362	100	1:20.81	341	
29.						10				-2		992	3
	50	31.80	374	50	41.47	320	100	1:24.54	298	100	1:34.04	291	
30.						08				-2		983	3
	200	2:50.33	340	100	1:20.02	322	200	2:57.83	321	50	33.82	311	
	100	1:27.96	265	50	38.38	256							
31.						09				-1		962	3
	100	1:13.03	325	200	2:40.39	325	400	5:40.82	312	50	34.74	287	
	50	41.34	227										

" "

(25)

, 17 - 20

2024

32.						09						865	3
	50	33.96	307	100	1:16.23	286	50	37.62	272	50	44.18	264	
	100	1:37.89	258	200	3:32.47	254	100	1:26.82	241				
33.						10						626	2
	100	1:22.64	319	50	37.39	307				-2			
1.						03						2092	3
	50	24.41	743	100	54.84	684	50	23.09	665	50	24.92	664	
	100	53.53	587	100	59.49	568							
2.						09						1934	3
	50	23.26	651	200	1:55.18	642	100	51.98	641	400	4:07.34	631	
	100	57.77	620	50	29.75	589	50	27.22	535				
3.						10						1927	3
	100	51.34	666	400	4:07.29	632	50	23.52	629	200	1:56.53	620	
	50	26.59	547	100	1:01.37	517							
4.						07						1842	3
	100	51.24	670	50	23.98	594	100	57.99	578	50	27.02	547	
5.						08						1817	3
	100	52.90	609	100	56.50	604	200	2:09.69	604	100	58.76	589	
	50	24.08	586	50	27.08	544	50	31.11	515	50	27.16	513	
	100	1:01.26	491	1500		-							
6.						03						1811	3
	200	1:55.45	637	200	2:10.58	591	100	58.96	583	50	30.83	530	
	50	27.16	513	50	28.58	462	200		-				
7.						09						1809	3
	50	29.15	627	100	1:05.34	605	50	26.12	577	50	24.32	569	
	100	54.15	567	100	1:00.67	535	100	1:01.28	474	50	29.03	441	
8.						06						1787	3
	100	52.84	611	200	1:58.54	589	400	4:13.43	587	50	24.37	566	
	50	30.58	543	100	1:00.93	529	50	27.93	472				
9.						10						1785	3
	100	1:05.32	606	200	2:22.13	604	50	29.99	575	50	27.53	493	
	100	1:02.47	447	200	2:26.04	423	400	4:45.24	412				
10.						07						1768	3
	100	53.14	600	200	1:58.22	593	50	26.15	575	50	24.48	558	
	50	28.53	465										
11.						09						1735	3
	400	4:12.97	590	800	8:53.74	573	100	53.99	572	200	2:02.55	533	
	50	25.29	506	50	27.60	489	100	1:01.96	458				
12.						09						1717	3
	200	2:21.68	610	100	1:06.28	580	50	30.87	527	100	1:09.67	266	
13.						06						1700	3
	100	1:05.89	590	50	30.29	558	100	54.63	552	200	2:30.86	505	
	50	27.66	486	100	1:01.39	471	50	28.94	445	50	30.32	293	

" " ",

SWISS TIMING QANTUM AQUATIC

, 17 - 20

2024

14.		,				08							1649	3
	100	53.63	584	200	2:01.24	550	200	2:16.77	515	50	25.14	515		
	100	1:02.14	498	50	29.25	431								
15.		,				07							1623	3
	50	24.50	557	100	54.51	556	100	59.78	510	100	1:02.31	494		
	50	27.61	488	50	30.35	386								
16.		,				09							1622	3
	100	54.77	548	400	4:20.38	541	800	9:06.57	533	200	2:04.15	512		
	50	25.20	512	50	28.10	463								
17.		,				08							1588	3
	100	58.32	549	200	2:10.08	535	100	1:00.72	504	50	27.57	490		
	50	26.19	456	200	2:18.83	455	50	29.15	436	200	2:25.62	426		
18.		,				09							1562	3
	800	9:00.87	551	100	56.21	507	400	4:55.04	504	200	2:21.23	467		
	100	1:04.41	447	100	1:04.19	426	50	30.32	387	100	1:06.36	373		
19.		,				02							1557	3
	50	30.04	572	100	1:08.05	536	100	1:04.31	449					
20.		,				09							1542	3
	100	54.47	557	50	24.56	553	100	1:03.93	432	100	1:05.57	424		
	50	29.46	422	50	29.16	373								
21.		,				07							1539	3
	200	2:02.49	533	100	55.74	520	50	25.63	486	400	4:36.96	450		
	200	2:23.82	396	100	1:09.42	337								
22.		,				09							1527	3
	100	55.52	526	50	25.21	511	50	31.64	490	100	1:03.43	468		
	50	30.86	367											
23.		,				07							1493	3
	100	1:09.19	510	50	31.59	492	200	2:32.25	491	100	1:06.09	414		
24.		,				08							1473	3
	100	55.67	522	200	2:06.78	481	400	4:32.94	470	50	27.56	442		
	200	2:25.40	428	50	33.51	412	50	30.34	387					
25.		,				08							1458	3
	200	2:17.60	505	100	1:02.87	481	200	2:07.62	472	400	5:07.86	443		
	100	59.16	435	50	26.80	425	50	33.49	413	50	32.16	324		
26.		,				08							1457	3
	200	2:14.95	496	200	2:19.09	489	100	1:01.34	472	100	1:04.46	446		
	100	1:04.09	428											
27.		,				07							1455	3
	50	24.77	539	50	27.91	473	50	28.99	443					
28.		,				10							1450	3
	1500	17:21.13	538	800	9:19.54	497	200	2:23.18	415	100	1:00.50	407		
	100	1:06.08	378	50	30.96	346	100	1:10.72	338					
29.		,				08							1403	3
	1500	17:21.22	538	200	2:22.97	450	100	1:00.09	415	100	1:07.34	391		
	50	27.66	387											
30.		,				03							1399	3
	200	2:03.53	520	100	1:03.59	465	50	33.47	414	50	29.16	414		

" " (25)
, 17 - 20 2024

31.	50 50	, 25.71 34.14	482 390	100	1:03.81	07 460	100	1:02.96	. . . 452	-1 50	28.97	1394 444	3
32.	1500 100	, 18:01.74 1:01.10	479 395	800	9:32.54	08 464	400	4:36.90	. . . 450	-3 50	27.10	1393 411	3
33.	1500 200	, 17:58.30 2:23.20	484 415	800 200	9:37.67 2:27.72	09 452 408	50 100	26.49 1:06.82	. . . 440 401	-3 100	59.12	1376 436	3
34.	100	, 56.24	506	50	26.19	03 456	50	29.64	. . . 395	-1		1357	3
35.	200 1500	, 2:08.79 18:38.78	459 433	100 50	58.50 27.21	10 450 406	800	9:40.06	. . . 446	-2 400	4:37.85	1355 445	3
36.	100 50	, 57.60 31.41	471 332	50 100	26.25 1:12.48	07 452 296	200	2:12.92	. . . 417	-3 200	2:32.10	1340 334	3
37.	100	, 58.08	460	50	26.36	07 447	100	1:05.64	. . . 423	50	30.97	1330 346	3
38.	50	, 31.90	478	100	1:11.92	10 454	200	2:44.06	. . . 392	-2 50	32.69	1324 309	3
39.	400	, 5:04.23	459	100	58.83	07 442	50	26.88	. . . 421	-3 100	1:05.14	1322 394	3
40.	50 200	, 26.37 2:16.86	446 382	100 50	58.97 31.59	09 439 342	50	28.86	. . . 428	-2 100	1:05.32	1313 391	3
41.	100 100	, 58.74 1:10.62	444 339	200 50	2:10.62 31.67	10 440 323	50 50	26.87 33.35	. . . 422 291	-3 800 100	9:56.25 1:13.69	1306 411 282	3
42.	50	, 25.65	485	50	28.78	07 431	50	30.73	. . . 372	-1		1288	3
43.	50	, 25.85	474	100	58.61	08 447	50	35.09	. . . 359	-1 50	31.11	1280 358	3
44.	100 100	, 59.24 1:08.73	433 347	50 50	26.79 32.21	09 426 323	50	29.26	" 410	" 200	2:26.08	1269 378	3
45.	200 50	, 2:24.77 30.86	434 367	50	26.82	09 424	100	1:05.26	. . . 406	-3 200	2:22.96	1264 403	3
46.	200 400	, 2:12.62 4:52.14	420 383	800 200	9:54.01 2:46.27	08 415 377	50	34.06	. . . 393	-1 100	1:15.64	1228 390	3
47.	50 50	, 29.46 27.85	422 379	100 50	1:05.34 31.10	09 404 342	200	2:28.90	. . . 399	100	1:07.16	1225 395	3
48.	100	, 59.07	437	200	2:12.60	08 420	50	27.73	. . . 346	-1		1203	3

" " (25)
, 17 - 20 2024

49.	100	1:00.27	411	50	27.37	399	200	2:16.06	389	100	1:10.37	343	1199	3
	50	32.84	305	100	1:12.97	290								
50.	1500	19:03.59	406	50	27.43	397	100	1:01.14	394	800	10:07.27	389	1197	3
	400	4:53.58	377	50	31.21	338	100	1:15.75	250					
51.	100	1:00.24	412	50	27.46	395	100	1:06.47	384	50	30.92	365	1191	3
	100	1:11.56	326	50	32.23	307								
52.	100	1:00.44	408	200	2:15.84	391	50	27.56	391	50	31.97	330	1190	3
53.	400	4:42.32	424	200	2:15.84	391	100	1:02.57	368	50	28.83	341	1183	3
	200	2:38.73	329	100	1:14.15	293	50	33.81	279	100	1:14.06	277		
54.	1500	19:03.88	405	800	10:03.30	397	400	4:53.75	377	100	1:04.82	331	1179	3
	50	29.67	313	100	1:12.52	285	100	1:16.64	265	50				
55.	50	27.24	405	100	1:05.75	397	50	30.64	375				1177	3
56.	100	1:00.47	407	50	27.31	402	800	10:30.22	348				1157	3
57.	100	1:00.88	399	50	27.81	380	200	2:18.01	373	200	2:32.62	370	1152	3
	400	5:01.79	347	100	1:12.09	319	100	1:12.75	293					
58.	100	1:00.85	400	50	27.42	397	50	30.81	351	50	32.35	319	1148	3
	100	1:10.88	306	200	2:37.19	252								
59.	100	1:00.82	400	50	27.80	381	100	1:12.58	313	50	32.03	313	1094	3
	100	1:10.85	306											
60.	100	1:14.88	402	50	35.00	362	100	1:11.50	327	100	1:05.15	326	1091	3
	50	29.62	315											
61.	50	27.05	413	100	1:08.44	373	50	32.41	302	100	1:12.11	290	1088	3
62.	200	2:30.79	384	400	5:00.31	353	100	1:10.12	347	50	31.12	341	1084	3
	100	1:09.29	327	200	2:35.32	325	100							
63.	200	2:17.48	377	400	5:00.76	351	800	10:30.39	348	100	1:12.60	312	1076	3
	200	2:43.08	303											
64.	50	30.36	367	50	28.19	365	200	2:31.99	335	50	36.58	317	1067	3
	100	1:10.91	316	50	33.09	298	100	1:25.87	266					
65.	50	28.11	368	100	1:02.69	365	400	5:06.36	332	1500	20:28.76	327	1065	3
	800	10:52.86	313	50	32.89	289	100	1:13.51	274					

66.	200 50	, 2:47.63 37.01	368 306	100	1:18.53	348	400	5:05.17	336	-3	200	2:23.41	332	3
67.	400 50	, 4:59.55 36.21	355 327	200 100	2:21.77 1:11.46	344 327	100 50	1:04.17 29.38	341 323		100	1:19.41	337	3
68.	100 50	, 1:17.10 32.40	368 240	50	35.32	352	200	2:55.94	318	-3	100	1:11.86	242	3
69.	50	, 28.44	356	100	1:04.02	343	100	1:20.72	321		100	1:15.04	283	3
70.	200	, 2:18.67	367	50	28.70	346	100	1:13.98	295		100		-	3
71.	50	, 34.53	377	50	29.43	321	50	32.53	298	-3	50	35.26	246	3
72.	50 200	, 28.31 2:48.09	361 277	100 50	1:04.80 34.74	331 257	50 100	37.17 1:16.86	302 248		100	1:14.71	286	3
73.	200	, 2:53.13	334	100	1:19.85	331	50	36.66	315	-2	400	5:31.71	261	3
74.	50 50	, 29.25 33.23	327 294	200 100	2:33.36	326 -	800	10:55.95	308	-2	100	1:11.93	303	3
75.	800	, 10:39.50	333	1500	20:28.65	327	100	1:07.94	287	-3	50	35.94	232	3
76.	50	, 28.35	359	100	1:04.03	343	50	35.47	242	-1				3
77.	50	, 29.20	329	100	1:06.55	305	50	32.31	305		100	1:14.96	284	3
78.	50 800	, 29.24 11:09.00	327 291	100	1:05.85	315	200	2:29.47	293	-3	400	5:19.69	292	3
79.	100 400	, 1:02.82 5:40.06	363 243	200	2:30.98	285	100	1:14.85	285		200	2:47.49	280	3
80.	50	, 29.69	313	200	2:37.41	302	100	1:14.19	276	-3	50	34.40	265	3
81.	100 100	, 1:06.29 1:21.18	309 211	200	2:45.62	290	100	1:17.14	260		200	2:37.79	249	3
82.	50	, 30.31	294	50	38.01	282	100	1:09.42	269	-3	200	2:39.58	241	3

83.	100 100	, 1:25.71 1:21.83	268 218	200	3:09.20	256	50	40.06	241	200	2:58.95	765 229	3
84.	50 100	, 30.81	280 -	100	1:10.58	256	50	37.45	205	100	1:25.33	741 192	3
85.	800 50	, 11:50.48 43.21	243 192	200	3:16.84	227	100	. . . 1:33.39	207	-2 100	1:24.77	677 196	3
86.	50	, 40.53	233	100	1:32.63	212	50	36.44	169			614	3
87.	50	, 37.89	198	50	35.57	182	100	1:27.09	170	200	3:18.19	550 151	3
88.	200	, 3:10.86	169	400	6:27.66	164	100	1:28.95	160	100	1:34.81	493 140	3
89.	50	, 46.11	158	100	1:23.16	156	50	. . . 41.21	154	-1 50		468 -	3
90.	50 50	, 37.37	197 -	50	40.71	160	100	. . . -	-	-2 100		357 -	3
91.	50	, 30.56	544	100	1:08.18	533		. . .		-2		1077	2
92.	50	, 24.72	542	50	27.44	497		. . .		-1		1039	2
93.	100	, 59.28	523	50	31.61	491		. . .		-2		1014	2
94.	100	, 56.35	503	100	1:09.37	358						861	2
95.	50	, 31.32	505					. . .		-2		505	1
96.	100	, 56.74	493					. . .		-3		493	1
97.	50	, 26.36	447									447	1
98.	50	, 33.48	413					. . .		-2		413	1
99.	100	, 1:12.01	302					. . .		-3		302	1
100.	50	, 38.18	279					. . .		-1		279	1